



# DISPENSING SOLUTIONS > PROGRESS 4000 C

## ✓ TECHNICAL SPECIFICATIONS


MAIN FEATURES	
Construction	Frame: Galvanised Steel; Double Coated Painting
	Housing: Stainless Steel
	Panels: Aluminium; Double Coated Painting
Admission	Suction: High Performance Compact Gear Pump RTF Pressure: Submersible Pump
Meter	Positive Displacement Meter PTF, with Pulse Generator and Integrated Electronic Calibration
Filters	Reusable Stainless Steel, 100 µm mesh
Motor	Eexd, Single/ Three-Phase, 50/60 Hz w/ Internal Thermal Protection
Calculator	eMC <sup>2</sup> Electronic Modular Calculator, 2nd Generation
Hose	Ø16, 19, 21, 25 mm (EN1360/EN13483) (VR2 Approved)
Nozzle	Automatic ZVA2 or Others
Fuel Types	Petrol   Diesel   Biodiesel   Ethanol (E85)   AdBlue wo/heating (1)
Flow Rates	10, 40, 80, 130 L/min   Up to 4 Products/8 Hoses
Certificates	ATEX; MID

Note: (1) Only available with pressure version.

OPTIONS		
- Speed Selector (40/80 L/min)	- Vapour Recovery w/Monitoring	- Breakaway Couplings
- Voice Module	- Automatic Temperature Compensation	- Custom Nozzles and Sleeves
- Electro-mechanical Totalizers	- Single/ Three-Phase Motor	- Flexible Riser Connection
- Volume Preset	- TAGs	- Stainless Steel AISI304 Image Panel
- Amount Preset	- OPT *	- Stainless Steel AISI316 Housing
- Circuit Breaker	- Multimedia	- Foundation Frame
- Electronics Head Heating	- Low Temperature Kit	- Custom Corporate Image
- Vapour Recovery Stage II	- Satellite Ready (1 per side)	- Lifting Solution (for easier handling)
- Retraction System	Note: * Integration with wide range of terminals.	

COMMUNICATION PROTOCOLS/INTERFACES		
- Petrotec	- IFSF IP	- HDX 2WI (Gilbarco)
- EPS5	- IFSF Lon v1.xx (Converter)	- DART
- Pulse Interface	- IFSF Lon v2.xx	- Dunclare
- ER3	- HDX 485 (Gilbarco)	- Pumalan

# ✓ AVAILABLE CONFIGURATIONS



Note: All dimensions are in mm.

MCD\_IBPROGRESS4000C04\_2018

© 2018 Petrotec Group | All rights reserved. Petrotec, the Petrotec logo, Progress and combinations thereof are registered trademarks of Petrotec Group. Other names are informational and may be trademarks of their respective owners. Petrotec is continuously improving its products. Changes on the specifications may occur without prior notice. The imagery used may be indicative of style only. The available brochures are a guide and do not constitute an offer or contract.

